

NovoConnect NC-X710

Streamline workspace communications and collaborations with this versatile 2-in-1 solution

Overview

NovoConnect NC-X710 combines wireless presentation and powerful digital signage (NovoDS) capabilities, making it ideal for collaboration and visual communication. The wireless presentation allows up to 4 users to share content simultaneously, enhancing productivity with real-time mirroring, extended desktop, and seamless file sharing, while Digital signage offers diverse content options and an intuitive Cloud service for easy creation and distribution.





Key Features

NovoConnect Wireless Presentation




- Screen Mirroring: Airplay, Google Cast, & Miracast
- Windows | MacOS | Chromebook | Ubuntu
- Extended desktop
- File & video sharing



NovoConnect software | AirPlay | Google Cast

Screen Mirroring



Extended screen
(serve as the secondary screen to User's laptop)



Primary screen
(User's laptop)

Extended Desktop

Digital Signage



- Seamless content delivery with built-in NovoDS software
- Easy content management via NovoDS Cloud & Studio
- Dynamic content: YouTube, Instagram, Google Drive
- Secure cloud access with two-factor authentication



BYOM



BYOM (Bring Your Own Meeting) enables easy Wi-Fi connection to in-room AV equipment, streamlining meetings and presentations.



Cloud-based Remote Manager



- Cloud service - no software installation
- Deploy Apps and upgrade firmware remotely
- Remote assist (remote snapshot & control)
- Device management by groups




Dashboard, Device snapshot & Remote control

NT Live



- Broadcast its screen content (as an “NT Live” source) to other display devices
- Receive screen broadcast from an “NT Live” source, such as a NovoTouch panel



System Integration



The SysControl network-based control protocol allows NovoConnect devices to be integrated with third-party control systems, enabling remote management and control of device functions, including power on/off, volume adjustment, and more.



Product Specifications-Hardware

Model	NC-X710
Storage	Internal: 32GB
	External: microSD Card (Up to 32GB), USB Drive (Up to 32GB)
Display Output	HDMI-Out v2.0 (HDCP v2.2 Compliant)
Display Resolution	3840 x 2160 (16:9, UHD 4K@60fps)
Display Orientation	Landscape & Portrait
Ethernet	RJ45 (10/100/1000 Mbps)
Wi-Fi	Wi-Fi: 802.11 b/g/n/ac (2.4GHz & 5GHz), 2T2R
Input Connection Ports	USB(x3)
	microSD Slot
HDMI-In	Yes
Audio Output	Audio-Out (3.5mm)
Dimensions (WxDxH)	96 x 178 x 28mm (3.8' x 7.0' x 1.10')
Weight	490g (17.3oz)
Power Supply	DC jack: 5V/2A, 10W

Product Specifications-Software

Software		NC-X710
OS supported	Windows	Window 10+
	MacOS	MacOS 11+
	Android	Android 11+
	iOS	iOS 14+
	Chrome Book	Yes
Connection Method	Desktop Software	Windows & Mac
	Android/iOS App	Android/iOS
	Airplay	Yes
	GoogleCast	Yes
	Miracast	Windows 10+
Management Tool	Desktop Software	Windows
	Cloud Service	Yes
Build-in Apps	Google Play Store	Yes
	NT Live Screen	Yes
	NT Live Receiver	Yes



Visit www.vivitekcorp.com for more product info
Copyright (c) 2024 Delta Electronics, Inc. All Rights Reserved

A brand of  **DELTA**